


Geometrica

Porcelain Design



Wall: DFZF 02 & DFZF 02 T Décor Matt

5 Colours / 1 Finish / 1 Size / 8 Décors

A contemporary glazed porcelain range with a matt concrete-effect finish displaying a number of patterns and motifs. Geometrica comprises of solid colours combined with graphic patterns in a predominantly pastel-coloured palette.



Wall: DFZF 05, DFZF 05 Half Décor & DFZF 01 Matt
Floor: DFZF 05 Matt



Wall: DFZF 05 Half Décor Matt
Floor: DFZF 03 Drop Décor & DFZF T Décor Matt



Wall: DFZF Triangles Décor Matt




DFZF 01




DFZF 02



DFZF 04




DFZF 03




DFZF 05

Sizes



	Size (mm)	Thickness	Finish	Colour Availability
1	150 x 150 (N)	10	Matt	All colours

(N) Nominal size - pressed edge. Swatch colours may vary from original. Samples should be requested. Décors shown on next page.



V1 - Low
Shade Variation


DOMUS

service@domusgroup.com | t: 020 8481 9500 | domusgroup.com

Half Décor




DFZF 01



DFZF 02



DFZF 03



DFZF 05


Drop Décor




DFZF 01



DFZF 02




DFZF 03



DFZF 05


Grid Décor




DFZF 01



DFZF 02



DFZF 03



DFZF 05


T Décor



DFZF 01



DFZF 02




DFZF 03

Bird Décor




Microchip Décor




Triangles Décor



Tubes Décor



Décors



Size (mm)	Thickness	Finish	Colour Availability
Half Décor 150 x 150 (N)	10	Matt	DFZF 01, 02, 03 & 05
Drop Décor 150 x 150 (N)	10	Matt	DFZF 01, 02, 03 & 05
Grid Décor 150 x 150 (N)	10	Matt	DFZF 01, 02, 03 & 05
T Décor 150 x 150 (N)	10	Matt	DFZF 01, 02 & 03
Bird Décor 150 x 150 (N)	10	Matt	As shown
Microchip Décor 150 x 150 (N)	10	Matt	As shown
Triangles Décor 150 x 150 (N)	10	Matt	As shown
Tubes Décor 150 x 150 (N)	10	Matt	As shown

(N) Nominal size – pressed edge. Swatch colours may vary from original. Samples should be requested.



Geometrica

Technical Data

Product Type: Glazed Porcelain (BS EN 14411 – Group Bla)

Use: Floors & Walls

Product Code: DFZF

DIMENSION & SURFACE QUALITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Length & width	BS EN ISO 10545-2	± 0.60% (max. ± 2.0mm)	Conforms
Thickness	BS EN ISO 10545-2	± 5% (max. ± 0.5mm)	Conforms
Edge straightness	BS EN ISO 10545-2	± 0.50% (max. ± 1.5mm)	Conforms
Orthogonality (squareness)	BS EN ISO 10545-2	± 0.50% (max. ± 2.0mm)	Conforms
Planarity (flatness)	BS EN ISO 10545-2	± 0.50% (max. ± 2.0mm)	Conforms
Appearance	BS EN ISO 10545-2	> 95%	Conforms

SLIP RESISTANCE

Technical Characteristics	Industry Standards	Requirement	Finish
Areas with footwear	BS EN ISO 10545-17 (DIN 51130)	R9 from 3° to 10°	Matt
Slip resistance Coefficient of friction	BS 7976-2	Test results upon request	

PRODUCT QUALITY & DURABILITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Water absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.3% (Typical value)
Modulus of rupture (bending strength)	BS EN ISO 10545-4	≥ 35 N/mm ²	Conforms
Breaking strength	BS EN ISO 10545-4	≥ 1300 N	Conforms
Resistance to surface abrasion	BS EN ISO 10545-7	PEI *see classifications below	Class 4
Thermal shock resistance	BS EN ISO 10545-9	No visible defects	Resistant
Crazing resistance	BS EN ISO 10545-11	No visible signs	Resistant
Frost resistance	BS EN ISO 10545-12	No surface alteration	Resistant
Chemical resistance: Low concentrations of acids & alkalis	BS EN ISO 10545-13	No visible defects	GLA
High concentrations of acids & alkalis	BS EN ISO 10545-13	No visible defects	GHA
Domestic chemicals & additives for swimming pools	BS EN ISO 10545-13	GB min.	GA
Stain resistance	BS EN ISO 10545-14	Min. Class 3	Class 5
Reaction to fire	Based on the decision 96/603/EC and its changes	A1 _{FL}	A1 _{FL}
Recycled content			62%

*PEI classifications

- PEI 2 - Light traffic
- PEI 3 - Light to moderate traffic
- PEI 4 - Moderate to heavy traffic
- PEI 5 - Heavy to extra heavy traffic

All test results are based upon current test data provided by the manufacturer and are provided in good faith. Domus Group cannot be held responsible for any variation in the test data due to changes in manufacture or material characteristics. Errors & omissions excepted. Please refer to Domus Group Terms & Conditions of Sale. November 2019



DOMUS

service@domusgroup.com | t: 020 8481 9500 | domusgroup.com