

Mediterranea

Ceramic Colours



Wall: DDMA 01 Cracquele

7 Colours / 1 Finish / 1 Size

Mediterranea is a colourful glazed ceramic wall tile range with a glossy cracquele finish. Offers a hand-crafted feel to any commercial or residential project. This range is an artisan product, designed to have a handmade appearance—irregular edges and variation in size and planarity are to be expected.



Wall: DDMA 01, 04, 05 & 08 Cracquele

Sizes



DDMA 01



DDMA 04



DDMA 02



DDMA 07



DDMA 08



DDMA 06



DDMA 05



	Size (mm)	Thickness	Finish	Colour Availability
1	200 x 65 (N)	8-9mm	Cracquele	All colours

(N) Nominal size - pressed edge. This product has a tolerance of +/- 3mm. Swatch colours may vary from original. Samples should be requested.

Mediterranea

Technical Data

Product Type: Glazed Ceramic (BS EN 14411 – Group BIII)

Use: Walls (Internal only)

Product Code: DDMA

DIMENSION & SURFACE QUALITY

THIS IS AN ARTISAN PRODUCT, DESIGNED TO HAVE A HANDMADE APPEARANCE. IRREGULAR EDGES AND VARIATION IN SIZE / PLANARITY (FLATNESS) ARE TO BE EXPECTED.

Technical Characteristics	Industry Standards	Requirements (for nominal size <i>N</i>)		Actual Value
		$70\text{mm} \leq N < 150\text{mm}$	$N \geq 150\text{mm}$	
Length & width	BS EN ISO 10545-2	± 0.75mm	± 0.5% (max. ±2.0mm)	Conforms
Thickness	BS EN ISO 10545-2	± 0.5mm	± 10% (max. ±0.5mm)	Conforms

PRODUCT QUALITY & DURABILITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Water absorption	BS EN ISO 10545-3	> 10%	12% (typical value)
Modulus of rupture (bending strength)	BS EN ISO 10545-4	≥ 12 N/mm ²	15-20 N/mm ² (average value)
Thermal shock resistance	BS EN ISO 10545-9	No visible defects	Resistant
Chemical resistance:			
Low concentrations of acids & alkalis	BS EN ISO 10545-13	No visible defects	GLA
High concentrations of acids & alkalis	BS EN ISO 10545-13	No visible defects	GHA
Domestic chemicals & additives for swimming pools	BS EN ISO 10545-13	GB min.	GA
Stain resistance	BS EN ISO 10545-14	Min. Class 3	Conforms*
Reaction to fire	Based on the decision 96/603/EC and its changes		A1
Recycled content			4%

*Mediterranea tiles are pre-sealed at the factory, but due to the Craquele (crackle) glaze, we strongly recommend re-sealing after grouting, using Fila MP90 Eco Xtreme water-based sealer and cleaning with neutral detergents only.

