

Pure Travertine Wall

Ceramic Design



Wall: DAZPW 01 Groove Décor Matt

3 Colours / **2** Finishes / **3** Sizes / **3** Mosaics / **3** Décors

Reinterpreting one of the most timeless marbles, Pure Travertine Wall inherits the elegance of travertine in a minimalistic concept. This ceramic wall tile range adopts a mineral effect in contemporary colours with a selection of mosaics and décors, allowing for decorative solutions with solid character.



Left Wall: DAZPW 03 Glossy
Shower Wall: DAZPW 03 Mosaic Glossy



Left Wall: DAZPW 02 Matt
Shower Wall: DAZPW 02 Half Hexagon Mosaic Matt



Right Wall: DAZPW 03 Matt
Left Wall: DAZPW 03 Picket Mosaic Matt

Sizes



DAZPW 01



DAZPW 01 Groove Décor



DAZPW 02




DAZPW 02 Groove Décor



DAZPW 03



DAZPW 03 Groove Décor




	Size (mm)	Thickness	Finish	Colour Availability
1	900 x 300 (R)	11.7	Matt Glossy	All colours All colours
	Groove Décor 900 x 300 (R)	11.7	Matt	All colours
2	600 x 300 (N)	8.5	Matt Glossy	All colours All colours
	Groove Décor 600 x 300 (N)	8.5	Matt	All colours
3	592 x 295 (R)	8.5	Matt Glossy	All colours All colours
	Groove Décor 592 x 295 (R)	8.5	Matt	All colours


(R) Rectified size - square edge with bevel. (N) Nominal size - pressed edge.
For wall use only. Swatch colours may vary from original. Samples should be requested. Mosaics and special pieces shown on next page.

Mosaics


Mosaic 25 x 25mm



DAZPW 01 Mosaic




DAZPW 02 Mosaic




DAZPW 03 Mosaic


Picket Mosaic



DAZPW 01 Picket Mosaic



DAZPW 02 Picket Mosaic




DAZPW 03 Picket Mosaic

Half Hexagon Mosaic




DAZPW 01 Half Hexagon Mosaic



DAZPW 02 Half Hexagon Mosaic




DAZPW 03 Half Hexagon Mosaic



	Size (mm)	Thickness	Finish	Colour Availability
1	Mosaic 25 x 25 (R) on 295 x 295 sheet	8.5	Matt Glossy	All colours All colours
2	Picket Mosaic (R) on 278 x 265 sheet	8.5	Matt Glossy	All colours All colours
3	Half Hexagon Mosaic (R) on 351 x 292 sheet	8.5	Matt Glossy	All colours All colours

(R) Rectified size - square edge with bevel. For wall use only. Swatch colours may vary from original. Samples should be requested.



V3 - High
Shade Variation

DOMUS

service@domusgroup.com | t: 020 8481 9500 | domusgroup.com

Pure Travertine Wall

Technical Data

Product Type: Glazed Ceramic (BS EN 14411 – Group BIII)

Use: Walls (Internal only)

Product Code: DAZPW

DIMENSION & SURFACE QUALITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Length & width	BS EN ISO 10545-2	± 0.50% (max. ± 2.0mm)	Conforms
Thickness	BS EN ISO 10545-2	± 10% (max. ± 0.5mm)	Conforms
Edge straightness	BS EN ISO 10545-2	± 0.30% (max. ± 1.5mm)	Conforms
Orthogonality (squareness)	BS EN ISO 10545-2	± 0.50% (max. ± 2.0mm)	Conforms
Planarity (flatness): Centre curvature	BS EN ISO 10545-2	+ 0.5% (max. + 2.0mm) - 0.3% (max. - 1.5mm)	Conforms
Edge curvature	BS EN ISO 10545-2	+ 0.5% (max. + 2.0mm) - 0.3% (max. - 1.5mm)	Conforms
Warpage	BS EN ISO 10545-2	± 0.5% (max. ± 2.0mm)	Conforms
Appearance	BS EN ISO 10545-2	> 95%	Conforms

PRODUCT QUALITY & DURABILITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Water absorption	BS EN ISO 10545-3	> 10%	17% (Typical value)
Modulus of rupture (bending strength)	BS EN ISO 10545-4	≥ 7.5mm thick ≥ 12 N/mm ²	≥ 13 N/mm ² (Typical value)
Breaking strength	BS EN ISO 10545-4	≥ 7.5mm thick ≥ 600 N	≥ 600 N (Typical value)
Thermal shock resistance	BS EN ISO 10545-9	No visible defects	Resistant
Crazing resistance	BS EN ISO 10545-11	No visible signs	Resistant
Chemical resistance: Low concentrations of acids & alkalis	BS EN ISO 10545-13	No visible defects	GLA
Domestic chemicals & additives for swimming pools	BS EN ISO 10545-13	GB min.	GA
Stain resistance	BS EN ISO 10545-14	Min. Class 3	Class 5
Reaction to fire	Based on the decision 96/603/EC and its changes	A1	A1
Recycled content			15%



All test results are based upon current test data provided by the manufacturer and are provided in good faith. Domus Group cannot be held responsible for any variation in the test data due to changes in manufacture or material characteristics. Errors & omissions excepted. Please refer to Domus Group Terms & Conditions of Sale. June 2023

DOMUS

service@domusgroup.com | t: 020 8481 9500 | domusgroup.com