

Paradiso

Porcelain Marble



Floor: DSPA 03 Krystal

5 Colours / **2** Finishes / **3** Sizes / **3** Mosaics

Paradiso combines the primordial purity of rock and crystals to create eye-catching marble-effect porcelain tiles. This range includes various mosaic options to produce stunning feature walls.



Wall & Floor: DSPA 01 Krystal



Wall: DSPA 01 Krystal



Floor: DSPA 03 Krystal

Sizes




DSPA 01



DSPA 02




DSPA 03



DSPA 04




DSPA 05



	Size (mm)	Thickness	Finish	Colour Availability
1	1798 x 898 (R)	9	Natural Krystal	DSPA 01, 02 & 03 All colours
2	1195 x 595 (R)	9	Natural Krystal	All colours All colours
3	595 x 296 (R)	9	Natural Krystal	All colours All colours

(R) Rectified size - square edge with bevel. Mosaics and special pieces shown on next page. Swatch colours may vary from original. Samples should be requested.



Mosaic 50 x 50mm




DSPA 01 Mosaic DSPA 02 Mosaic DSPA 03 Mosaic DSPA 04 Mosaic DSPA 05 Mosaic

Maxi Class Mosaic




DSPA 01 Maxi Class Mosaic DSPA 02 Maxi Class Mosaic DSPA 03 Maxi Class Mosaic DSPA 04 Maxi Class Mosaic DSPA 05 Maxi Class Mosaic


Flip Mosaic



DSPA 01 Flip Mosaic DSPA 02 Flip Mosaic DSPA 03 Flip Mosaic DSPA 04 Flip Mosaic DSPA 05 Flip Mosaic




Mosaics & Special Pieces




	Size (mm)	Thickness	Finish	Colour Availability
1	Mosaic 50 x 50 (R) on 300 x 300 sheet	9	Natural	All colours
2	Maxi Class Mosaic (R) on 345 x 300 sheet	9	Krystal	All colours
3	Flip Mosaic (R) on 290 x 290 sheet	9	Natural	All colours
	Skirting 595 x 73 (R)	9	Natural Krystal	All colours All colours
	Bullnose Step Tread 1198 x 330 (R)	9	Natural	All colours
	Angle Step Tread SX/DX 1198 x 330 (R)	9	Natural	All colours

(R) Rectified size - squared edge with bevel. Swatch colours may vary from original. Samples should be requested.




DOMUS


V3 - High Shade Variation




DSPA 04 Natural



DSPA 01 Natural



DSPA 02 Krystal



DSPA 05 Krystal



DSPA 03 Natural

Paradiso

Technical Data

Product Type: Glazed Porcelain (BS EN 14411 – Group BIa)

Use: Floors & Walls

Product Code: DSPA

DIMENSION & SURFACE QUALITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Length & width	BS EN ISO 10545-2	± 0.60% (max. ± 2.0mm)	Conforms
Thickness	BS EN ISO 10545-2	± 5% (max. ± 0.5mm)	Conforms
Edge straightness	BS EN ISO 10545-2	± 0.50% (max. ± 1.5mm)	Conforms
Orthogonality (squareness)	BS EN ISO 10545-2	± 0.50% (max. ± 2.0mm)	Conforms
Planarity (flatness)	BS EN ISO 10545-2	± 0.50% (max. ± 2.0mm)	Conforms
Appearance	BS EN ISO 10545-2	> 95%	Conforms

SLIP RESISTANCE

Technical Characteristics	Industry Standards	Requirement	Finish
Areas with footwear	EN 16165:2021 Annex B / DIN 51130	R10 from 10° to 19°	Natural
Slip resistance (Pendulum) Coefficient of friction	BS EN 16165	Test results upon request	

PRODUCT QUALITY & DURABILITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Water absorption	BS EN ISO 10545-3	≤ 0.5%	< 0.1% (typical value)
Modulus of rupture (bending strength)	BS EN ISO 10545-4	≥ 35 N/mm ²	Conforms
Breaking strength	BS EN ISO 10545-4	≥ 7.5mm ≥ 1300 N	Conforms
Resistance to surface abrasion (glazed tiles)	Internal method *see classifications below		Class 4 - Krystal Class 5 - Natural
Crazing resistance	BS EN ISO 10545-11	No visible signs	Resistant
Frost resistance	BS EN ISO 10545-12	No surface alteration	Resistant
Chemical resistance: Domestic chemicals & additives for swimming pools	BS EN ISO 10545-13	UB/GB min.	Conforms
Stain resistance	BS EN ISO 10545-14	Min. Class 3 – glazed	Conforms
Reaction to fire	Based on the decision 96/603/EC and its changes	A1 _{FL} /A1	A1 _{FL} /A1
Recycled content			> 20%

*Surface abrasion classifications

Class 4 - Heavy traffic. Floors suitable for areas subject to frequent foot traffic and heavy abrasion, e.g. corridors, balconies, terraces, private kitchens, hotel rooms and bathrooms.

Class 5 - Extra-heavy traffic. Floors suitable for areas subject to frequent foot traffic and heavy abrasion, e.g. bars, shops, hotels, restaurants, public buildings, offices, schools, and exhibition halls. Particularly suitable for areas in direct contact with the outside.

